

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FII	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/735,787	1	2/16/2003	Ming Te Tu	FP9887	FP9887 3984 EXAMINER	
7:	590	01/04/2005		EXAM		
Ming Te Tu			•	NICOLAS, FR	NICOLAS, FREDERICK C	
PO Box 82-144 Taipei,	}			ART UNIT	PAPER NUMBER	
TAIWAN				3754		
			•	DATE MAILED: 01/04/200	5	

Please find below and/or attached an Office communication concerning this application or proceeding.

•	Application No.	Applicant(s)	
	10/735,787	TU, MING TE	√ √
Office Action Summary	Examiner	Art Unit	
	Frederick C. Nicolas	3754	
The MAILING DATE of this communication Period for Reply	n appears on the cover sheet with	h the correspondence a	ddress
A SHORTENED STATUTORY PERIOD FOR RI THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CF after SIX (6) MONTHS from the mailing date of this communication - If the period for reply specified above is less than thirty (30) days, - If NO period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	ON. FR 1.136(a). In no event, however, may a rejon. a reply within the statutory minimum of thirty period will apply and will expire SIX (6) MONT statute, cause the application to become ABA	ply be timely filed (30) days will be considered time THS from the mailing date of this ANDONED (35 U.S.C. § 133).	
Status			
_	16 Dagambar 2002		
1) Responsive to communication(s) filed on 2 2a) This action is FINAL . 2b) ∠ 2b) ∠	This action is non-final.	•	
·		ore proceedation as to th	o morite is
3) Since this application is in condition for all closed in accordance with the practice under the condition of the condit	·	·	ie ilielira 12
•	Jei Ex parte Quayle, 1900 C.D.	11, 400 0.0. 210.	
Disposition of Claims			
4) ☐ Claim(s) 1-10 is/are pending in the applica 4a) Of the above claim(s) is/are with 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-10 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction a	hdrawn from consideration.		
Application Papers			
9)☑ The specification is objected to by the Example 10)☑ The drawing(s) filed on 16 December 2003 Applicant may not request that any objection to Replacement drawing sheet(s) including the control of	is/are: a) ☐ accepted or b) ☑ the drawing(s) be held in abeyand orrection is required if the drawing(s	ce. See 37 CFR 1.85(a). s) is objected to. See 37 C	CFR 1.121(d).
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for for a) All b) Some * c) None of: 1. Certified copies of the priority docur 2. Certified copies of the priority docur 3. Copies of the certified copies of the application from the International But * See the attached detailed Office action for a	ments have been received. ments have been received in Ap priority documents have been r ureau (PCT Rule 17.2(a)).	oplication No received in this Nationa	l Stage
Attachment(s)			
1) X Notice of References Cited (PTO-892)	4) 🔲 Interview St	ummary (PTO-413)	
2) 🔲 Notice of Draftsperson's Patent Drawing Review (PTO-948	B) Paper No(s)	/Mail Date	-0.450
3) Information Disclosure Statement(s) (PTO-1449 or PTO/S Paper No(s)/Mail Date	B/08) 5) ☐ Notice of Inf 6) ☐ Other:	formal Patent Application (PT 	O-152)

Art Unit: 3754

DETAILED ACTION

Drawings

- 1. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: element (123). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the claimed subject matter in claim 9, lines 1-3, "wherein the gear disk is provided at one side thereof with more than one roller integrally formed with the gear disk", and the claimed subject matter in claim 10, lines 1-2, "wherein the gear disk and the rollers can be alternatively substituted by <u>a cam</u>" must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended

Art Unit: 3754

Page 3

replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

3. The disclosure is objected to because of the following informalities: on page 7, line 8, "bas3" should be --base--.

Appropriate correction is required.

Claim Rejections - 35 USC § 112

- 4. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 5. Claims 1-10 are rejected as failing to define the invention in the manner required by 35 U.S.C. 112, second paragraph.

Art Unit: 3754

The claim(s) are narrative in form and replete with indefinite and functional or operational language. The structure which goes to make up the device must be clearly and positively specified. The structure must be organized and correlated in such a manner as to present a complete operative device. The following noted informalities are merely exemplary thereof. The claims should be revised to conform to U. S. Patent Office practice. Applicant is advised to completely review the claims for errors as the following is not intended to cover all errors.

I- As to claims 1 and 3, it appears that the following claimed limitation lacks antecedent basis, "the circle" as recited in line 10; "the liquid" as recited in line 12; "the inner walls" as recited in line 14; "the sides" as recited in line 15; "the central bottom" as recited in claim 3, lines 2-3.

Allowable Subject Matter

6. Claims 1-10 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Kahler 4,925,376, Bush 4,273,260, Holmes et al. 5,037,274, Neftel et al. 5,718,568, Christenson et al. 6,626,867, Albert et al. 4,946,070, Bush 4,274,409, Muller 3,384,080, Lancaster 5,269,443, Baumann 1,765,360, Shilsky 3,591,319, Horres et al. 4,559,040, Arimond 4,705,464, Muller 3,565,554, Chen (EP0493865) and McDermott et al. 4,667,854 disclose other types of liquid rationing device.

Art Unit: 3754

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frederick C. Nicolas whose telephone number is (571)-272-4931. The examiner can normally be reached on Monday - Friday from 9:00 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Y Mar, can be reached on 571-272-4906. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

FΝ

December 30, 2004

Frederick C. Nicolas
Patent Examiner

12/30/04

Page 5

Art Unit 3754